



**KH NO 82/11/1 1st Floor Firni Road,
New Delhi Mundka,
New Delhi-110041
Ph: +91-9990730939**



VANDS APM FP-195

Model : FP-95
 Rate Voltage : 220V/50HZ or 110v/60HZ
 Power : 1000W
 Pressure : 227bar/27000PSI
 Max Nozzle : 0.019in
 Flow : 1.2L/Min
 Motor : Heavy Motor with E- control
 Hose: 10M
 Hydraulic Oil: Anti-wear
 Pipe and TIP: 10 Mtrs, LX 80Gun Set and RAC
 517 Standard Tip
 Net weight/Gross weight : 15 kg/17Kg

VANDS ENGINEERING SOLUTIONS



VANDS E- JUNIOR

Model : E- Junior
 Rate Voltage : 220V
 Power : 1500W
 Pressure : 227bar/3200PSI
 Max Nozzle : 0.021in
 Flow : 2.0L/min
 Motor : Brush Motor
 Hose: 15M
 Hydraulic Oil: Anti-wear
 Pipe and TIP: 15 Mtr, LX 80 Gun Set and RAC 517 Standard Tip
 Net weight/Gross weight : 14.5KG/19KG
 Suction Hose Type : Chuck nut lock
 Pressure control : Mechanical sensor



VANDS MARUTI

Model :	Maruti
Rate Voltage :	220
Power :	1350
Pressure :	227bar/2800psi
Max Nozzle :	.021
Flow :	1.2L/min
Motor :	Brushed Motor
Recommended Hose:	25mtrs
Hydraulic Oil:	Wear Resistant oil
Pipe and TIP:	15 Mtrs, Lx 80Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	18kgs
Suction Hose Type :	Push and clamp
Pressure control	Mechanical limit switch

VANDS ENGINEERING SOLUTIONS



VANDS DIGICOAT

Model :	Digicoat
Rate Voltage :	220V
Power :	2000W
Pressure :	227bar/3200PSI
Max Nozzle :	0.023in
Flow :	2.2L/min
Motor :	Brush Motor
Hose:	15Mtr
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, LX 80 Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	14.5KG/19KG
Pump Material	Stainless steel and Hard chromed spared



VANDS DIGICOAT PLUS

Model :	Digicoat Plus
Rate Voltage :	220V
Power :	2300W
Pressure :	227bar/3200PSI
Max Nozzle :	0.021in
Flow :	2.8L/min
Motor :	Brushless Motor
Hose:	15M
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, LX 80 Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	15KG/19.5KG

VANDS ENGINEERING SOLUTIONS



VANDS ECO PRO

Model :	Eco Pro
Rate Voltage :	220V
Power :	2500W
Pressure :	227bar/3200PSI
Max Nozzle :	0.031in
Flow :	3.5L/min
Motor :	Brushless Motor
Hose:	15M
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, LX 80 Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	18KG/23KG



VANDS ECO PRO PLUS

Model :	Eco Pro Plus
Rate Voltage :	220V
Power :	2800W
Pressure :	227bar/3200PSI
Max Nozzle :	0.035in
Flow :	4.5L/min
Motor :	Brushless Motor
Hose:	15Mtr
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, LX 80 Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	19.5KG/27KG
Pump type :	Stainless steel Short HD

VANDS ENGINEERING SOLUTIONS



VANDS CENTURY

Model :	Century
Rate Voltage :	220V
Power :	3000W
Pressure :	227bar/3300PSI
Max Nozzle :	0.031in
Flow :	6.5L/min
Motor :	Brushless Motor
Hose:	15M
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Meter, LX 80 Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	33KG/57KG
Model :	Stainless
Pump type	Stainless steel short



VANDS GALAXY

Model :	Galaxy
Rate Voltage :	220V
Power :	3800W
Pressure :	227bar/3300PSI
Max Nozzle :	0.039in
Flow :	8L/min
Motor :	Brushless Motor
High pressure pipe :	20Mtr 1/4
Hose:	15M
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, Gun Set and RAC 517 Standard Tip
Pump Type	Long Stainless steel with chromed parts
Net weight/Gross weight :	55Kgs/70Kgs

VANDS ENGINEERING SOLUTIONS



VANDS GALAXY PLUS

Model :	Galaxy Plus
Rate Voltage :	220V
Power :	4000W
Pressure :	227bars/3300psi
Max Nozzle :	0.041in
Flow :	10.5L/min
Motor :	Brushless Motor
High pressure pipe :	25M 3/8
Recommended hose length	50mtrs
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, Maxcoat Gun Set and 535 Standard Tip
Net weight/Gross weight :	43KG/65KG



VANDS PROFESSIONAL MOTOR

Model :	Professional
Rate Voltage :	220V
Power :	4200W
Pressure :	3300psi
Max Nozzle :	0.043in
Flow :	11.5L/min
Motor :	Brushless Motor
High pressure pipe :	25M 3/8
Hose:	15M
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, Maxcoat Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	60KG/89KG
Pump type	Long HD Stainless steel with chromed spares

VANDS ENGINEERING SOLUTIONS



VANDS MAXCOAT MOTOR

Model :	Electric Motor
Rate Voltage :	220V
Power :	4000W
Pressure :	5000psi
Max Nozzle :	0.051in
Flow :	14L/min
Motor :	Induction Motor
High pressure pipe :	25Mtrs 3/8"
Recommended hose support:	50Mtrs
Hydraulic Oil:	Anti-wear
Pipe and TIP:	15 Mtrs, Gun Set and RAC 517 Standard Tip
Net weight/Gross weight :	93KG/135KG
Pump type	Stainless steel with hasr chromed spares

VANDS ENGINEERING SOLUTIONS